

第37表 都道府県別にみた年次別死産率（出産千対）

昭和55年～令和4年

都道府県	自然死産率											人工死産率										
	昭和55年	平成2年	12	22	29	30	令和元年	2	3	4	昭和55年	平成2年	12	22	29	30	令和元年	2	3	4		
全 国	28.8	18.3	13.2	11.2	10.1	9.9	10.2	9.5	9.8	9.4	18.0	23.9	18.1	13.0	11.0	11.0	11.8	10.6	9.9	9.9		
北海道	34.4	20.9	15.4	12.4	12.3	11.6	11.6	10.0	10.4	8.7	36.8	39.5	27.0	18.1	16.0	14.7	15.1	14.0	11.5	13.0		
青森	32.1	20.4	14.9	14.2	9.9	11.4	12.0	12.5	11.7	10.7	16.9	21.9	20.2	14.1	11.2	12.5	10.9	8.3	10.8	15.0		
岩手	23.0	15.8	12.3	13.3	7.9	11.4	10.1	13.1	10.6	12.2	30.1	30.6	24.9	15.7	11.5	10.7	11.6	8.7	8.9	6.8		
宮城	26.2	18.1	13.7	10.7	10.3	10.0	11.2	9.5	11.0	9.8	28.1	33.2	22.3	14.5	10.7	10.5	12.0	11.5	10.2	10.8		
秋田	20.4	15.5	12.0	14.8	11.6	13.8	14.5	13.7	12.2	11.8	24.3	28.7	20.6	11.5	8.0	8.5	9.8	7.6	10.4	7.9		
山形	21.7	15.4	14.0	13.1	12.1	10.0	11.6	10.4	8.7	11.2	29.3	30.7	22.9	12.9	9.3	10.8	10.8	8.4	7.7	8.5		
福島	28.5	18.7	15.8	13.1	11.5	11.3	10.7	9.2	11.5	9.7	21.3	25.2	21.3	16.3	10.4	9.6	12.4	13.5	9.4	10.3		
茨城	24.7	17.6	12.9	10.6	10.0	10.3	10.9	8.9	11.0	9.6	10.8	20.7	19.1	13.8	11.3	10.9	11.3	10.3	10.0	9.5		
栃木	29.1	20.6	14.3	10.0	10.3	10.6	10.2	10.3	11.1	8.9	12.3	22.3	17.7	13.6	12.6	10.2	11.7	11.4	10.5	10.8		
群馬	26.4	17.9	11.9	11.8	10.1	10.0	12.0	11.1	9.8	10.1	12.1	18.0	18.0	12.5	10.5	11.8	14.3	12.1	11.8	12.9		
埼玉	25.9	18.7	13.8	11.3	11.0	9.9	10.4	9.2	9.4	8.9	9.9	16.7	14.1	11.3	11.3	11.6	12.4	11.7	10.6	11.4		
千葉	29.9	20.1	16.4	11.9	11.9	10.5	10.9	10.0	10.3	10.8	8.4	15.9	12.5	11.5	10.2	11.0	11.4	10.3	8.7	9.2		
東京	32.6	20.7	13.2	10.3	9.8	9.2	9.3	9.4	9.2	8.7	14.2	21.1	15.8	13.0	10.8	10.9	12.8	11.0	11.1	10.3		
神奈川	27.1	17.8	13.1	10.9	9.7	9.4	10.1	9.2	10.0	9.2	9.9	17.3	12.8	10.0	10.0	11.5	15.9	12.6	10.6	11.0		
新潟	25.1	16.2	13.6	12.5	9.5	9.9	10.3	8.6	10.7	10.9	14.1	17.9	13.1	13.0	9.6	10.1	9.7	9.5	9.6	8.6		
富山	28.2	21.5	13.6	12.7	10.4	10.4	10.7	8.3	11.9	10.8	12.5	16.0	14.0	9.8	7.9	9.6	7.9	9.9	7.1	6.5		
石川	30.4	22.5	14.6	12.4	10.6	9.6	11.6	8.3	10.0	10.3	13.9	19.6	12.0	9.3	7.8	6.9	6.8	8.4	7.6	8.3		
福井	26.5	14.7	13.0	10.2	9.9	12.8	10.1	9.2	11.8	7.7	12.2	20.2	14.4	12.4	8.0	8.7	12.0	8.0	7.5	10.5		
山梨	33.1	22.5	17.1	10.0	8.9	10.0	8.5	12.5	7.5	9.9	11.3	15.5	13.7	13.7	12.7	15.4	9.1	7.0	6.0	6.8		
長野	27.9	16.0	11.3	10.3	10.3	8.6	9.9	10.1	8.5	8.4	12.5	17.9	13.1	12.1	9.4	8.9	8.9	9.5	6.8	9.7		
岐阜	25.0	16.5	11.9	9.9	9.0	9.4	9.1	8.2	8.6	8.8	12.6	20.1	17.3	12.2	8.8	9.9	9.6	8.5	8.0	7.6		
静岡	24.5	16.3	12.6	11.6	9.1	8.7	10.6	8.5	10.1	8.8	17.0	21.7	16.9	10.3	8.8	9.6	9.9	8.7	8.5	9.4		
愛知	24.9	14.7	11.8	9.3	8.9	9.2	9.9	9.4	9.3	8.7	18.0	24.0	15.7	10.3	9.5	9.4	9.6	8.5	8.8	8.3		
三重	25.3	16.9	12.1	11.7	9.9	9.0	9.0	8.1	8.4	8.9	19.6	21.6	15.1	9.8	10.8	10.5	11.0	10.5	10.9	8.3		
滋賀	28.6	16.5	12.8	11.9	7.3	10.3	9.4	8.8	8.2	9.8	11.9	17.6	14.3	9.1	8.8	7.6	7.5	8.6	8.6	9.0		
京都	31.2	18.5	12.0	9.6	9.0	9.2	10.3	8.8	10.6	9.9	16.9	22.7	16.1	12.6	9.8	10.6	10.4	8.9	9.0	11.0		
大阪	34.0	19.7	12.0	10.7	8.8	9.8	9.5	8.1	9.2	8.4	21.5	28.2	18.3	14.1	12.0	11.3	11.4	11.6	10.2	10.4		
兵庫	29.6	16.8	12.4	10.5	9.5	10.1	9.7	9.6	8.9	9.8	14.9	20.1	15.8	11.4	9.7	10.9	10.2	9.1	8.6	8.5		
奈良	31.8	18.6	14.4	12.6	11.3	8.7	10.1	9.1	8.4	9.8	10.7	19.9	13.3	12.5	11.7	11.0	11.5	10.6	8.6	10.2		
和歌山	29.4	18.2	11.9	10.0	8.3	9.4	7.3	7.7	7.0	11.0	12.7	21.9	18.4	12.6	14.4	10.8	13.3	11.3	9.3	9.9		
鳥取	24.7	17.6	11.3	13.6	10.7	10.5	11.2	13.4	11.9	7.9	23.9	27.1	21.6	14.4	9.8	10.5	14.7	9.3	8.2	8.1		
島根	25.2	16.8	10.9	11.4	9.8	10.2	11.5	13.1	9.6	10.6	19.8	20.5	19.0	12.9	11.3	9.6	9.4	6.8	8.2	6.1		
岡山	21.9	13.7	10.1	9.5	9.9	9.3	8.6	8.8	8.5	9.8	20.1	26.3	20.4	14.8	10.9	10.2	11.9	10.6	10.3	9.1		
広島	28.2	15.9	11.1	9.7	10.1	9.5	10.2	10.0	9.5	9.2	14.5	23.3	16.7	11.5	10.3	10.9	10.6	9.4	9.2	8.0		
山口	30.9	17.9	14.5	10.7	10.5	9.9	11.0	9.6	10.0	12.0	21.1	27.3	19.6	11.7	8.3	9.3	8.9	8.1	7.8	6.7		
徳島	29.7	14.4	11.5	12.1	8.5	8.3	12.1	10.4	9.9	8.5	20.1	25.2	15.4	13.0	9.9	9.6	7.3	9.8	9.7	10.2		
香川	23.6	14.6	12.9	14.5	9.3	10.5	9.1	8.7	7.6	8.0	13.3	21.0	16.5	9.4	11.0	8.4	12.7	10.9	12.6	7.6		
愛媛	31.3	19.2	12.3	9.5	10.1	9.3	9.6	12.2	10.0	9.8	18.6	26.7	19.2	19.5	15.3	12.8	13.8	11.1	11.6	12.8		
高知	31.5	14.3	13.2	11.4	9.3	11.1	6.9	7.9	9.3	5.5	20.5	33.8	26.8	17.8	11.1	11.4	12.2	10.3	10.5	13.7		
福岡	30.0	20.7	12.1	12.1	10.6	9.5	9.8	9.4	10.0	9.2	25.1	32.2	25.7	16.3	13.5	12.7	12.6	11.2	10.9	10.9		
佐賀	27.6	17.0	15.5	13.1	10.7	9.3	10.9	11.8	9.1	9.7	23.4	32.1	25.2	16.5	11.0	12.0	8.8	7.2	9.1	6.9		
長崎	29.0	16.6	16.0	14.0	9.7	10.4	8.6	10.2	8.7	9.3	35.9	33.9	28.5	15.3	13.6	11.5	11.1	10.2	9.9	6.4		
熊本	26.6	17.2	11.6	10.3	11.9	11.3	11.2	9.9	11.3	9.6	27.8	37.6	33.1	15.5	13.5	12.3	11.8	11.3	11.4	9.3		
大分	30.0	16.0	13.6	12.3	9.7	10.1	11.8	11.8	8.7	10.7	28.5	41.3	22.1	17.7	12.4	13.7	12.9	8.8	10.2	9.8		
宮崎	27.8	16.8	11.7	9.8	11.5	9.4	11.6	12.5	11.2	13.4	31.6	41.6	34.6	20.3	11.7	15.0	15.2	12.1	7.9	10.5		
鹿児島	38.1	27.7	13.2	11.6	11.7	10.0	10.3	10.3	10.5	10.4	23.0	26.0	30.3	18.3	11.3	11.8	13.1	13.0	11.6	11.0		
沖縄	23.1	21.3	19.5	14.4	12.1	11.3	11.8	10.0	13.4	11.3	2.9	11.3	17.6	17.3	13.6	12.4	12.4	11.1	11.2	10.2		

第38表 出産数、死産数、死産率（出産千対・大分県－全国），自然－人工・年次別

昭和35年～令和4年

年次	出産数	総数				自然死産						人工死産						年次
		死産数	死産率			死産数	死産率			死産総数に占める割合(%)		死産数	死産率			死産総数に占める割合(%)		
			順位	大分県	全国		順位	大分県	全国	大分県	全国		順位	大分県	全国	大分県	全国	
昭和 35年	22 936	2 809	4	122.5	100.4	1 163	19	50.7	52.3	41.4	52.1	1 646	4	71.8	48.1	58.6	47.9	35
40	20 514	1 980	8	96.5	81.4	870	34	42.4	47.6	43.9	58.5	1 110	7	54.1	33.8	56.1	41.5	40
45	19 215	1 636	4	85.1	65.3	778	21	40.5	40.6	47.6	62.2	858	5	44.7	24.7	52.4	37.8	45
50	19 742	1 406	2	71.2	50.8	789	3	40.0	33.8	56.1	66.4	617	4	31.3	17.1	43.9	33.6	50
55	17 309	1 013	5	58.5	46.8	519	13	30.0	28.8	51.2	61.5	494	6	28.5	18.0	48.8	38.5	55
平成 60	15 394	974	3	63.3	46.0	390	3	25.3	22.1	40.0	48.0	584	3	37.9	23.9	60.0	52.0	60
2	12 339	708	3	57.4	42.3	198	36	16.0	18.3	28.0	43.4	510	2	41.3	23.9	72.0	56.6	2
7	11 600	475	7	40.9	32.1	175	23	15.1	14.9	36.8	46.3	300	6	25.9	17.2	63.2	53.7	7
8	11 810	466	9	41.1	31.7	188	10	16.6	14.7	40.3	46.4	278	12	24.5	17.0	59.7	53.6	8
9	11 547	444	10	39.8	32.1	140	43	12.6	14.7	31.5	44.1	304	5	27.3	17.9	68.5	55.9	9
10	11 595	466	7	41.9	31.4	173	7	15.5	13.6	37.1	43.4	293	8	26.3	17.6	62.9	56.6	10
11	11 160	446	6	40.0	31.6	174	6	15.6	13.7	39.0	43.5	272	9	24.4	17.9	61.0	56.5	11
12	11 314	404	14	35.7	31.2	154	16	13.6	13.2	38.1	42.2	250	12	22.1	18.1	61.9	57.8	12
13	11 292	401	11	35.5	31.0	149	14	13.2	13.0	37.2	42.0	252	11	22.3	18.0	62.8	58.1	13
14	10 812	388	13	35.9	31.1	118	40	10.9	12.7	30.4	41.0	270	9	25.0	18.3	69.6	59.0	14
15	10 610	397	8	37.4	30.5	134	25	12.6	12.6	33.8	41.4	263	9	24.8	17.8	66.2	58.6	15
16	10 379	355	12	34.2	30.0	121	10	11.7	12.5	34.1	41.6	234	16	22.5	17.5	65.9	58.4	16
17	10 088	308	17	30.5	29.1	95	47	9.4	12.3	30.8	42.4	213	8	21.1	16.7	69.2	57.6	17
18	10 493	337	9	32.1	27.5	124	24	11.8	11.9	36.8	43.4	213	6	20.3	15.6	63.2	56.6	18
19	10 419	257	31	24.7	26.2	84	47	8.1	11.7	32.7	44.7	173	15	16.6	14.5	67.3	55.3	19
20	10 612	306	9	28.8	25.2	127	14	12.0	11.3	41.5	44.8	179	11	16.9	13.9	58.5	55.2	20
21	10 243	282	13	27.5	24.6	112	26	10.9	11.1	39.7	45.2	170	10	16.6	13.5	60.3	54.8	21
22	10 384	312	4	30.0	24.2	128	16	12.3	11.2	41.0	46.1	184	6	17.7	13.0	59.0	53.9	22
23	10 289	301	5	29.3	23.9	111	28	10.8	11.1	36.9	46.4	190	3	18.5	12.8	63.1	53.6	23
24	9 919	269	9	27.1	23.4	96	41	9.7	10.8	35.7	46.2	173	4	17.4	12.6	64.3	53.8	24
25	9 879	274	6	27.7	22.9	106	16	10.7	10.4	38.7	45.4	168	5	17.0	12.5	61.3	54.6	25
26	9 536	257	8	27.0	22.9	93	35	9.8	10.6	36.2	46.4	164	4	17.2	12.3	63.8	53.6	26
27	9 398	286	1	30.4	22.0	112	9	11.9	10.6	39.2	48.0	174	1	18.5	11.4	60.8	52.0	27
令和 28	9 280	221	7	23.8	21.0	86	40	9.3	10.1	38.9	48.1	135	3	14.5	10.9	61.1	51.9	28
29	8 854	196	13	22.1	21.1	86	32	9.7	10.1	43.9	47.8	110	10	12.4	11.0	56.1	52.2	29
30	8 400	200	5	23.8	20.9	85	19	10.1	9.9	42.5	47.2	115	4	13.7	11.0	57.5	52.8	30
元	7 817	193	6	24.7	22.0	92	6	11.8	10.2	47.7	46.2	101	9	12.9	11.8	52.3	53.8	元
2	7 741	159	18	20.5	20.1	91	10	11.8	9.5	57.2	47.4	68	33	8.8	10.6	42.8	52.6	2
3	7 468	141	30	18.9	19.7	65	37	8.7	9.8	46.1	49.7	76	19	10.2	9.9	53.9	50.3	3
4	6 940	142	11	20.5	19.3	74	12	10.7	9.4	52.1	48.7	68	22	9.8	9.9	47.9	51.3	4

注) 出産数は、出生数と死産数の計である。

第39表 後期死産数、死産率（出産千対・大分県－全国），割合，自然－人工・年次別

昭和35年～令和4年

年次	総数						自然死産				人工死産				年次			
	後期死産数	妊娠満22週以後の死産率 (出産千対)			全死産中妊娠満22週 以後の死産の占める 割合(%)		後期死産数	妊娠満22週以後の 死産率(出産千対)		自然死産中妊娠満22週 以後の死産の占める 割合(%)		後期死産数	妊娠満22週以後の 死産率(出産千対)			人工死産中妊娠満22週 以後の死産の占める 割合(%)		
		順位	大分県	全国	大分県	全国		大分県	全国	大分県	全国		大分県	全国		大分県	全国	
昭和 35年	712	8	35.4	30.8	25.3	27.6	630	31.3	28.6	54.2	49.1	82	4.1	2.3	5.0	4.2	35	
40	472	6	25.5	21.9	23.8	24.7	431	23.3	21.0	49.5	40.5	41	2.2	0.9	3.7	2.6	40	
45	296	10	16.8	15.0	18.1	21.5	280	15.9	14.8	36.0	33.9	16	0.9	0.3	1.9	1.1	45	
50	244	4	13.3	0.7	17.4	19.9	242	13.2	10.5	30.7	29.6	2	0.1	0.1	0.3	0.7	50	
55	136	13	8.3	7.8	13.4	15.8	135	8.3	7.7	26.0	25.5	1	0.1	0.1	0.2	0.3	55	
60	79	20	5.5	5.4	8.1	11.2	79	5.5	5.3	20.3	23.1	-	-	0.1	-	-	0.3	60
2	47	12	4.0	3.8	6.6	8.7	45	3.9	3.8	22.7	19.8	2	0.2	0.0	0.4	0.1	2	
3	30	46	2.5	3.6	4.5	8.7	30	2.5	3.6	16.5	19.5	-	-	0.0	-	-	0.1	3
4	33	44	2.9	3.5	5.3	8.6	32	2.8	3.4	17.8	19.2	1	0.1	0.1	0.2	0.1	4	
5	33	37	2.9	3.3	6.3	8.8	33	2.9	3.3	19.5	19.5	-	-	0.0	-	-	0.0	5
6	32	39	2.7	3.3	6.2	9.4	32	2.7	3.2	21.2	20.4	-	-	0.0	-	-	0.1	6
7	62	21	5.5	5.5	13.1	16.7	62	5.5	5.5	35.4	35.7	-	-	0.1	-	-	0.3	7
8	62	28	5.0	5.2	12.2	16.0	62	5.5	5.2	30.3	34.7	-	-	-	-	-	0.2	8
9	51	39	4.6	5.0	12.8	15.2	50	4.5	5.0	35.7	34.2	1	0.1	0.0	0.3	0.2	9	
10	50	37	4.5	4.8	10.7	14.9	50	4.5	4.8	28.9	34.1	-	-	0.0	-	-	0.1	10
11	55	11	5.1	4.7	11.2	14.5	55	5.1	4.7	31.6	33.1	-	-	0.0	-	-	0.2	11
12	51	13	4.7	4.5	12.6	14.0	51	5.1	4.5	33.1	32.9	-	-	0.0	-	-	0.2	12
13	45	27	4.1	4.3	11.2	13.6	45	4.1	4.3	30.2	32.4	-	-	0.0	-	-	0.1	13
14	39	34	3.7	4.3	10.1	13.4	39	3.7	4.3	33.1	32.5	-	-	0.0	-	-	0.1	14
15	42	24	4.1	4.1	10.6	13.1	42	4.1	4.1	31.3	31.5	-	-	0.0	-	-	0.0	15
16	34	24	3.4	3.9	9.6	12.7	34	3.4	3.9	28.1	30.4	-	-	0.0	-	-	0.0	16
17	27	44	2.8	3.8	8.8	12.8	27	2.8	3.8	28.4	30.1	-	-	0.0	-	-	0.0	17
18	40	15	3.9	3.7	13.0	13.1	39	3.8	3.7	41.1	30.0	1	0.1	0.0	0.5	0.1	18	
19	24	47	2.4	3.5	9.3	13.1	23	2.3	3.5	27.4	29.3	1	0.1	0.0	0.6	0.1	19	
20	38	12	3.7	3.4	12.4	13.3	37	3.6	3.4	29.1	29.6	1	0.1	0.0	0.6	0.1	20	
21	34	18	3.4	3.4	12.1	13.5	34	3.4	3.4	30.4	29.7	-	-	0.0	-	-	0.1	21
22	42	6	4.2	3.4	13.5	13.7	41	4.1	3.4	32.0	29.5	1	0.1	0.0	0.5	0.1	22	
23	32	17	3.2	3.3	10.6	13.6	32	3.2	3.3	28.8	29.5	-	-	0.0	-	-	0.1	23
24	31	25	3.2	3.2	10.3	13.6	31	3.2	3.2	32.3	29.1	-	-	0.0	-	-	0.1	24
25	35	8	3.6	3.0	12.8	12.9	35	3.6	3.0	33.0	28.4	-	-	-	-	-	-	25
26	22	39	2.4	3.0	8.6	12.9	22	2.4	3.0	23.7	27.9	-	-	0.0	-	-	0.0	26
27	41	2	4.5	3.0	14.3	13.5	41	4.5	3.0	36.6	28.2	-	-	0.0	-	-	0.0	27
28	22	39	2.4	2.9	10.0	13.6	22	2.4	2.9	25.6	28.2	-	-	0.0	-	-	0.0	28
29	27	11	3.1	2.8	13.8	13.2	27	3.1	2.8	31.4	27.5	-	-	0.0	-	-	0.0	29
30	22	22	2.7	2.6	11.0	12.2	22	2.7	2.6	25.9	25.8	-	-	0.0	-	-	0.0	30
令和 元	26	26	3.4	2.7	13.5	12.2	26	3.4	2.7	28.3	26.4	-	-	0.0	-	-	0.0	元
2	30	30	3.9	2.5	18.9	12.2	30	3.9	2.5	33.0	25.8	-	-	0.0	-	-	0.0	2
3	20	24	2.7	2.7	14.2	13.7	20	2.7	2.7	30.8	27.6	-	-	0.0	-	-	0.0	3
4	23	7	3.4	2.7	16.2	13.6	23	3.4	2.7	31.1	27.9	-	-	0.0	-	-	0.0	4

注1) 後期死産とは、平成6年までは妊娠28週以後の死産をいい、平成7年以降は妊娠満22週以後の死産をいう。

注2) 死産率の平成6年以前は、出生千対、平成7年以後は出産（出生＋妊娠満22週以後の死産）千対。

第40表 死産数，死産の場所・自然－人工・年次・市郡別

昭和35年～令和4年

年次 市郡	総数						自然死産						人工死産						年次 市郡
	総数	病院	診療所	助産所	自宅	その他	総数	病院	診療所	助産所	自宅	その他	総数	病院	診療所	助産所	自宅	その他	
昭和 35 年	2 809	682	1 606	36	444	41	1 163	175	478	35	435	40	1 646	507	1 128	1	9	1	35
40	1 980	567	1 203	72	127	11	870	246	420	67	126	11	1 110	321	783	5	1	-	40
45	1 636	454	1 111	45	23	3	778	278	429	45	23	3	858	176	682	-	-	-	45
50	1 406	473	900	20	11	2	789	336	420	20	11	2	617	137	480	-	-	-	50
55	1 013	330	674	8	1	-	519	243	267	8	1	-	494	87	407	-	-	-	55
平成 60 年	974	303	663	1	7	-	390	203	179	1	7	-	584	100	484	-	-	-	60
2 年	708	193	511	1	3	-	198	104	90	1	3	-	510	89	421	-	-	-	2
7	475	147	325	-	3	-	175	90	82	-	3	-	300	57	243	-	-	-	7
12	404	122	282	-	-	-	154	71	83	-	-	-	250	51	199	-	-	-	12
17	308	103	203	-	2	-	95	42	51	-	2	-	213	61	152	-	-	-	17
22	312	76	234	1	1	-	128	52	74	1	1	-	184	24	160	-	-	-	22
23	301	90	209	-	2	-	111	56	53	-	2	-	190	34	156	-	-	-	23
24	269	68	199	-	2	-	96	45	49	-	2	-	173	23	150	-	-	-	24
25	274	80	190	-	3	1	106	49	53	-	3	1	168	31	137	-	-	-	25
26	257	66	190	-	1	-	93	38	54	-	1	-	164	28	136	-	-	-	26
27	286	95	189	-	2	-	112	56	54	-	2	-	174	39	135	-	-	-	27
28	221	80	141	-	-	-	86	54	32	-	-	-	135	26	109	-	-	-	28
29	196	70	124	-	1	1	86	48	36	-	1	1	110	22	88	-	-	-	29
30	200	74	123	-	2	1	85	46	36	-	2	1	115	28	87	-	-	-	30
令和 元	193	85	106	-	1	1	92	54	36	-	1	1	101	31	70	-	-	-	元
2	159	60	95	-	4	-	91	43	44	-	4	-	68	17	51	-	-	-	2
3	141	65	75	-	1	-	65	35	29	-	1	-	76	30	46	-	-	-	3
4	142	63	76	-	2	1	74	40	31	-	2	1	68	23	45	-	-	-	4
市郡	136	62	71	-	2	1	71	39	29	-	2	1	65	23	42	-	-	-	市郡
部	6	-	3	-	3	-	-	-	部
大分市	65	27	37	-	1	-	34	19	14	-	1	-	31	8	23	-	-	-	大分
別府市	15	13	2	-	-	-	8	8	-	-	-	-	7	5	2	-	-	-	別府
津田市	14	5	9	-	-	-	8	3	5	-	-	-	6	2	4	-	-	-	津田
中日田	11	2	9	-	-	-	5	-	6	1	5	-	-	-	中日田
佐伯市	1	-	-	-	-	-	-	-	1	-	-	-	佐伯
臼杵市	3	-	1	-	2	-	-	-	臼杵
津久見市	2	-	1	-	1	-	-	-	津久見
竹田市	4	-	2	-	2	-	-	-	竹田
豊高田	1	-	-	-	-	-	-	-	1	-	-	-	豊高田
杵築市	3	-	2	-	1	-	-	-	杵築
宇佐市	3	-	3	-	-	-	-	-	-	-	宇佐
豊後大野	1	-	1	-	-	-	-	-	-	-	豊後大野
由布市	10	6	3	-	-	1	4	-	6	4	2	-	-	-	由布
国東市	3	-	2	-	1	-	-	-	国東
東国東郡	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	東国東郡
速見郡	3	-	1	-	2	-	-	-	速見郡
玖珠郡	3	-	2	-	1	-	-	-	玖珠郡

第 4 4 表 死産数、死産原因（児側病態－母側病態）・自然－人工別

令和 4 年

基本 分類 番号	死産原因 (児側病態)	母側病態							
		総 数	P00 現も影 在あり のり受 る妊 娠と は無 関係 の場 合に 見 え	P01 母に胎 児より の影 響が 妊 娠を 併 発 した 見 え	P02 胎合 け胎 盤に 胎 児及 び胎 児 膜を 受 けた 見 え	P03 そに胎 児及 び胎 児 膜を 併 発 した 見 え	P04 胎有胎 盤害 な及 び影 響を 新 生 児に 与 えた 見 え	P97 母人病 体工 態に よ らな いも の の	P99 母 体 に 原 因 な し
総 数		142	39	16	11	1	-	45	30
自 然 死 産		74	18	14	11	1	-	-	30
XVI	周産期に発生した病態	71	18	14	11	1	-	-	27
P05-P08	妊娠期間及び胎児発育に関連する障害	1	-	1	-	-	-	-	-
P05	胎児発育遅延及び胎児栄養失調	-	-	-	-	-	-	-	-
P07	妊娠期間短縮及び低出生体重に関連する障害、他に分類できないもの	1	-	1	-	-	-	-	-
P08	遷延妊娠及び高出生体重に関連する障害	-	-	-	-	-	-	-	-
P10-P15	出産外傷	-	-	-	-	-	-	-	-
P20-P29	周産期に特異的な呼吸障害及び心血管障害	-	-	-	-	-	-	-	-
P20	子宮内低酸素症	-	-	-	-	-	-	-	-
P21	出生時仮死	-	-	-	-	-	-	-	-
P22	新生児の呼吸窮迫	-	-	-	-	-	-	-	-
P23	先天性肺炎	-	-	-	-	-	-	-	-
P24	新生児吸引症候群	-	-	-	-	-	-	-	-
P25	周産期に発生した間質性気腫及び関連病態	-	-	-	-	-	-	-	-
P26	周産期に発生した肺出血	-	-	-	-	-	-	-	-
P27	周産期に発生した慢性呼吸器疾患	-	-	-	-	-	-	-	-
P28	周産期に発生したその他の呼吸器病態	-	-	-	-	-	-	-	-
P29	周産期に発生した心血管障害	-	-	-	-	-	-	-	-
P35-P39	周産期に特異的な感染症	-	-	-	-	-	-	-	-
P50-P61	胎児及び新生児の出血性障害及び血液障害	-	-	-	-	-	-	-	-
P70-P74	胎児及び新生児に特異的な一過性の内分泌障害及び代謝障害	-	-	-	-	-	-	-	-
P75-P78	胎児及び新生児の消化器系障害	-	-	-	-	-	-	-	-
P80-P83	胎児及び新生児の外皮及び体温調節に関連する病態	5	1	1	-	-	-	-	3
P90-P96	周産期に発生したその他の障害	65	17	12	11	1	-	-	24
XVII	先天奇形、変形及び染色体異常	3	-	-	-	-	-	-	3
Q00-Q07	神経系の先天奇形	-	-	-	-	-	-	-	-
Q10-Q18	眼、耳、顔面及び頸部の先天奇形	-	-	-	-	-	-	-	-
Q20-Q28	循環器系の先天奇形	-	-	-	-	-	-	-	-
Q30-Q34	呼吸器系の先天奇形	-	-	-	-	-	-	-	-
Q35-Q37	唇裂及び口蓋裂	-	-	-	-	-	-	-	-
Q38-Q45	消化器系のその他の先天奇形	-	-	-	-	-	-	-	-
Q50-Q56	性器の先天奇形	-	-	-	-	-	-	-	-
Q60-Q64	尿路系の先天奇形	1	-	-	-	-	-	-	1
Q65-Q79	筋骨格系の先天奇形及び変形	-	-	-	-	-	-	-	-
Q80-Q89	その他の先天奇形	1	-	-	-	-	-	-	1
Q90-Q99	染色体異常、他に分類されないもの	1	-	-	-	-	-	-	1
I	感染症及び寄生虫症	-	-	-	-	-	-	-	-
II	新生物	-	-	-	-	-	-	-	-
III	血液及び造血器の疾患並びに免疫機構の障害	-	-	-	-	-	-	-	-
IV	内分泌、栄養及び代謝疾患	-	-	-	-	-	-	-	-
V	精神及び行動の障害	-	-	-	-	-	-	-	-
VI	神経系の疾患	-	-	-	-	-	-	-	-
VII	眼及び付属器の疾患	-	-	-	-	-	-	-	-
VIII	耳及び乳様突起の疾患	-	-	-	-	-	-	-	-
IX	循環器系の疾患	-	-	-	-	-	-	-	-
X	呼吸器系の疾患	-	-	-	-	-	-	-	-
X I	消化器系の疾患	-	-	-	-	-	-	-	-
X II	皮膚及び皮下疾患	-	-	-	-	-	-	-	-
X III	筋骨格系及び結合組織の疾患	-	-	-	-	-	-	-	-
X IV	尿路性器系の疾患	-	-	-	-	-	-	-	-
人 工 死 産		68	21	2	-	-	-	45	-